



: « μ
μ (μ *Phragmites australis*
Typha angustifolia) μ »

Prespa Waterbirds, μμ LIFE15 NAT/GR/000936 – , μ
μ , Prespa Ohrid Nature Trust,
μ μ μ μ .

: 80443

μ .:

: 11/12/2018 – 30/6/2021

μ
, ,, , ,, . . 2021. μ
μ μ μ μ
. μ , .

P. australis

P. australis (El-Talty et al. 2015; Monllor et al. 2020)

(Maertens et al. 2002).

P. australis

(Mertens 1994).

P. australis

Experimental design details including treatments and statistical analysis.

1.

Statistical analysis details including ANOVA and Tukey's test results.

() μ ,
μ μ μ .

μ μ , μ
μ μ μ μ μ
200 /100 m² (200-0) μ
μ μ (0-0) μ μ
. μ

μ μ μ
μ μ ,

μ μ *Phragmites australis* .
μ μ μ μ μ μ
μ μ μ μ μ μ μ
μ μ + μ μ μ μ +
. μ (μ , μ) μ
μ) μ . μ μ μ μ μ
μ μ μ μ μ μ μ
μ μ μ μ μ .

μ , μ .
μ μ μ μ μ μ .
O () μ
μ μ μ μ 2019.
μ μ μ μ

- Cronk, J. and M.S. Fennessy (2001). *Phragmites australis* as a declining species in Europe. In: Cronk J, Fennessy MS (eds) Wetland Plants. CRC Press, Boca Roton, pp 317-320.
- El-Talty, Y.I. Abdel-Gwad, M.H. and A.E.M. Mahmoud (2015). Effect of common reed (*Phragmites australis*) silage on performance of growing lambs. Asian Journal of Animal Science 9(1): 1-12.
- Hazelton, E. Mozdzer, T. Burdick, D. Kettenring, K. and D. Whigham (2014). *Phragmites australis* management in the United States: 40 years of methods and outcomes. AOB PLANTS, 6: 1-19.
- Kadi, S.I. Ouendi, M. Slimani, M. Selmani, K. and C. Bannelier (2012). Nutritive value of common reed (*Phragmites australis*) leaves for rabbits. 10th world rabbit congress, world rabbit science association, Sharm El- Sheikh, Egypt. pp.513-517.
- Maertens, L. Perez, J.M. Villamide, M. Cervera, C. Gidenne, T. and G. Xiccato (2002). Nutritive value of raw materials for rabbits: EGRAN tables 2002. World Rabbit Sci., 10: 157-166.
- Marks, M. Lapin, B. and J. Randall (1994). *Phragmites australis* (*P. communis*): threats, management and monitoring. Natural Areas Journal, 14: 285–294.
- Mertens, D.R. (1994). Regulation of Forage intake, In: Forage Quality, Evaluation, and Utilization (G.C. Fahey, eds), American Society of Agronomy, Crop Science Society of America, Soil Science Society of America pp. 450-493.
- Mokhtarpour, A. and M. Jahantigh (2018). Effect of supplementing common reed (*Phragmites australis*) with urea on intake, apparent digestibility and blood metabolites of baluchi sheep. Iranian Journal of Applied Animal Science 8(4): 623-628.
- Monllor, P. Sandoval-Castro, C. Ayala-Burgos, A. Roca, A. Romero, G. and J. Díaz (2020). Preference study of four alternative silage fodders from the Mediterranean region in Murciano-Granadina goats. Small Ruminant Research, 192, p.106204. <https://doi.org/10.1016/j.smallrumres.2020.106204>
- Ogasawara, S. Hirokawa, J. Taniyama, A. and N. Matsuo (2004). Utilization of common reed (*Phragmites communis* Trin.) silage for forage in lactating cow. Kyushu Agric. Res. 66: 141-146.
- Volesky, J. Young, S. and K. Jenkins (2016). Cattle grazing effects on *Phragmites australis* in Nebraska. Invasive Plant Science and Management 9: 121-127.

Zaralis, K. Nørgaard, P. Helander, C. Murphy, M. Weisbjerg, M.R. and E. Nadeau (2014). Effects of maize maturity at harvest and dietary proportion of maize silage on intake and performance of growing/finishing bulls. *Livestock Science* 168, 89–93.

, . μ , . . (2010).
 . μ ,
 μ , .
 , . , . , . , . , . , .
 . μ , . (2001).
 μ , . ,
 μμ .
 , . , . , . . (2019).
 : μ
 μ
 2018 & μ 2019. LIFE15
 NAT/GR/000936, , . μ .
 , . , . , . , . . (2020).
 : μ
 μ μ
 2019 & μ
 2020 - 2021. LIFE15 NAT/GR/000936,
 , . μ .
 , . , . , . , . . (2021).
 : μ
 μ μ
 2020 & μ
 2021. LIFE15 NAT/GR/000936,
 , . μ .
 , . (2018). μ
 μ 2008-2017
 2018. 11 . LIFE15 NAT/GR/000936.